



PRODUCT CATALOGUE

Communication & Security
for Building & People



19+

Year of Experience



Pioneers in
Technology



Product design suited
for Indian Homes

1.25+

Lac Home Passes



Strong
Tech support



Non Proprietary

535+

Projects



3rd Party
Integration



Multifunctional
Devices

2000+

Channel Partners



Customized
Solutions



100% Customer
Satisfaction



Available on



ABOUT US

At Discreet , we firmly **Believe** in delivering Communication and Security for **Building & People** in simplest and at mostaffordable value to create a connected and secured world for everyone.

Discreet is a **19 years** experienced company with its 2 Brands **Onetouch** and **Coalesce** having. We have more than **2000+ channel** partners and **535+** residential, industrial and commercial Projects across India. Onetouch is a leading provider of smart home security solutions, offering a range of products including video door phones, digital door locks, alarm sensors, video doorbells and IP phones. These products are designed to provide users with the highest level of security and convenience. By introducing advanced technologies and specialized applications to the smart video intercom sector, Onetouch has become the go-to choice for modern world.



FULL HIGH DEFINITION SERIES



High Definition
Touch Screen



Visitor
Snapshot



IP Camera
Monitoring



SD
Card



Sensor
Integration



Wide Angle
Camera Lens



Night
Vision




Smartphone
Integration



Door Lock
Integration



Advance
Motion Sensor





ANALOG VDP KIT OT-ADP-A2

- 7" LCD screen & Capacitive touch buttons
- Extendable to 2 outdoor units and 2 monitors
- Snapshot Capturing (100 images)
- SD Card Support (up to 64 gb)
- 2-way audio talk
- Voice & brightness adjustable
- 120° wide angle HD camera
- IR night vision
- IP65 water proof

FHD VDP KIT OT-ADP-A3

- 7" Capacitive HD Touch screen
- 1080P FHD video resolution
- Extendable to 2 outdoor units ,
3 Indoor monitors , and 2 CCTV Cameras
- SD Card Support (up to 128 gb)
- Snapshot Capturing / Video Recording
- Voice Message
- 120° wide angle HD camera
- IR night vision
- IP65 water proof



SMART FHD VDP KIT OT-ADP-A4

- 7" Capacitive HD Touch screen
- 1080P FHD video resolution
- Inbuilt WiFi module and remote control via APP
- Extendable to 2 outdoor units ,
3 Indoor monitors , and 2 CCTV Cameras
- SD Card Support (up to 128 gb)
- Snapshot Capturing / Video Recording
- Voice Changer / Voice Message
- Smartphone Integration
- 120° wide angle HD camera
- IR night vision
- IP65 water proof



SMART VIDEO DOOR PHONE WITH NVR



10 Inch
Touch Screen



Network
Video Recorder



Visitor
Snapshot/Video



64 - 512 GB
SSD



Smart
Phone Integration



Megapixel
Camera



Wide Angle
Camera Lens



Doorlock
Integration



H.265
Compression



Motion
Sensor



MASTER SCREEN OT-VDP-V2

- 10-inch HD touch screen
- 1280X800 Screen resolution
- IP Video door phone
- Support 4/6 IP CAM NVR
- Built-in 64GB SSD scalable to max 512GB
- H.265 video compression
- Motion alarm
- Support scheduled / event recording



PRIMARY DOOR BELL OT-VDP-M2

- Camera : 2 MP HDR Camera
- Lens : 1/2.7"
- Field of view: 120°
- Night Vision : High Intensity IR LED
- Video compression : H.265
- Build in motion sensor
- Door Lock Integration
- ONVIF
- IK 07
- IP 67
- POE 802.af

SECONDARY DOOR BELL OT-VDP-C2

- Camera : 3 MP HDR Camera
- Lens : 1/2.7" Lens
- Field of view: 120°
- Night Vision: High Intensity IR LED
- Video compression : H.265
- Build in motion sensor
- Door Lock Integration
- ONVIF
- Vandal Alarm
- IP 54
- POE 802.af



Unleashing, Onetouch Smart Video Phone Villa Kit with built-in 4 or 6 channel NVR offering a thoughtful and useful feature where the user can check the recording of IP cameras , while speaking to a visitor over the same device as Video door phone and can also manage using a single app,thus adding convenience.



SMART WIRELESS VIDEO DOOR BELL



2 Mega Pixel
Camera



Wide angle
lens



Motion
Sensor



Sd
Card



H.265
Compression



Voice
Changer



Smart phone
Integration



Smart Tamper
Alarm



Alexa
Support



Google
Assistant



Battery
Backup



Weather
Resistant



Onetouch Smart Video door bell with wireless chime is the perfect solution for those who want a wirefree and a retrofit solution to see the visitor at their door even when they are away from home. No more hassles of cabling and can be easily replaced with the existing chime bell.

OT-VDP-W2

- 2 Megapixel HDR Camera
- Field of View : 120
- Video Compression: H.265
- SD card
- Motion sensor
- Voice changer
- Human detection
- Smart tamper alarm
- Alexa support
- Google assistance
- Smart phone integration
- Battery Backup
- IP 65 Weather resistant





PREMIUM ANDROID TOUCHSCREEN



High Definition
Touch Screen



Smartphone
Integration



ZigBee
3.0



Bluetooth



SD Card



Video
Intercom



Alarm
Panel




Session
Initiation Protocol



Home
Automation



WiFi/Ethernet





10 INCH ANDROID SCREEN OT-IP-VDP-V3

- 10" Capacitive HD Touch Screen
- Android OS 11
- High capacitive CPU
- 2GB Memory / 16GB Storage
- Wifi connect to internet
- Video door intercom
- 8 Zone Alarm Panel
- Support WiFi Smart home Control
- Smartphone Integration

8 INCH ANDROID SCREEN OT-IP-VDP-V1

- 8" Capacitive HD Touch Screen
- Android OS 8
- High capacitive CPU
- 1GB Memory / 8GB Storage
- Wifi connect to internet
- Video door intercom
- 8 Zone Alarm Panel
- Support WiFi Smart home Control
- Smartphone Integration



10 INCH ANDROID DESK PHONE OT-IP-VP1

- 10" Capacitive HD Touch Screen
- Android OS 11
- 8 Megapixel HD Camera
- 2GB Memory / 16GB Storage
- Wifi connect to internet
- 4G LTE, Bluetooth
- Video door phone indoor monitor
- 8 Zone Alarm Panel
- WiFi Smart home Control
- Smartphone Integration



SMART VIDEO INTERCOM



High Definition
Touch Screen



Visitor
Snapshot



IP Camera
Monitoring



SD Card



Sensor
Integration



Wide Angle
Camera Lens



Night
Vision




Smartphone
Integration



Door Lock
Integration



Advance
Motion Sensor





10 INCH SMART SIP VIDEO DOOR INTERCOM OT-IP-VDP-V4

- 10" Capacitive HD Touch Screen
- Android OS 6
- 2GB Memory / 8GB Storage
- Wifi and Wired LAN (Dual Network)
- Video door intercom
- 8 Zone Alarm Panel
- Host 3rd Party Home Automation Apps
- Smartphone Integration

7 INCH SIP VIDEO DOOR INTERCOM OT-IP-VDP-V9

- 7 inch High Res Touch Screen
- Audio Calling Apt to Apt
- Contact Directory
- Built in 8 Zone Alarm
- SD Card Slot
- Record Video and Images of Visitor



7 INCH SMART SIP VIDEO DOOR INTERCOM OT-IP-VDP-V5

- 7 inch High Res Touch Screen
- Audio Calling Apt to Apt
- Contact Directory
- Built in 8 Zone Alarm
- SD Card Slot
- Record Video and Images of Visitor
- Interface : Wired LAN + Wireless



SMART SIP VIDEO DOOR BELL OT-IP-VDP-C3P (WIRED) OT-IP-VDP-C3W (WIRELESS)

- Single Button Video Entry Station
- 2 MP HD Camera with 125 degree angle
- Relay Port to Control Door
- Night Vision
- Advance Motion Sensor
- Capture Visitor Snapshot
- ONVIF , Dual Stream Protocol
- Vandal Alert
- IP65 Grade



SMART VIDEO ENTRY STATION



Face
Unlocking



QR Code
Unlocking



Bluetooth
Unlocking



Pin Code/RFID
Card Unlocking



Weigand Port
for Door Automation



SIP Video
intercom



Smart Phone
Integration




Guard/Concierge
Hot Dial Key



Door Unlocking
from Apartment



Capture Photo
of Visitor



TOUCH SCREEN SMART VIDEO ENTRY STATION OT-IP-LP-C9

- Camera : 3MP (Dual Camera)
- 120°Wide angle
- Display : 7 inch Touch IPS LCD Display
- Night Vision : High Intensity White LEDs
- Authentication : Face Recognition, QR Code Bluetooth (BLE)
- Access Control : Biometric, Mifare / NFC
- Intercom : Touch Keys to Dial Indoor Station
- Smart Phone Integration
- Relay In/Out : 3/3
- Wiegand Port : for Gate Automation
- Installation : Flush Mount
- IP65 Grade



DIALPAD BASED VIDEO ENTRY STATION OT-IP-LP-C8

- Camera : 2MP High Res with 120°Wide Angle
- Night Vision : High Intensity White LED
- Keypad to Dial Indoor Station
- Smart Phone Integration
- Built in Mifare Card Access Reader and Controller
- 2 Relay Ports to Control 2 Doors
- Capture Visitor Snapshot
- Installation: Flush Mount
- IP65 Grade



SINGLE BUTTON VIDEO ENTRY STATION OT-IP-LP-C5

- Camera : 2MP High Res with 120°Wide Angle
- Night Vision : High Intensity White LED
- Video compression : H.265
- Card Access : 13.56 Mhz Mifare
- Build in motion sensor
- 2 Relay Port to Control 2 Doors
- Door Lock Integration
- ONVIF
- Vandal Alarm
- IP 65



MULTIPLE WAYS TO ACCESS THE BUILDING



FACE RECOGNITION




QR CODE



RFID CARD



DIALING




SMARTPHONE

ALWAYS CONNECTED WITH ANYWHERE INTERCOM




otipvdp.com




INCOMING CALL



SEE WHO'S CALLING




CHECK EVENTS



QUICK ACTIONS

INTERFACE





Smart Phone
Integration



7 inch
Display



SD
Card



Visitor
Snapshot/Video



Doorlock
Integration




IP Camera
Monitoring



Motion
Alarm



Sensor
Integration



VERIFY & GIVE ACCESS FROM INDOOR MONITOR OR MOBILE APP

Onetouch C7 is a 4 button building Video Entry Station for Multi-Tenant Community with high resolution 137 degree wide angle camera and it can be integrated with Digital lock. House owner can unlock after seeing the visitor using Indoor Monitor or mobile APP from any where.

4 BUTTON IP VIDEO ENTRY STATION



2 Megapixel
Camera



Wide Angle
Camera Lens



RFID Card
Access



Doorlock
Integration



Visitor
Snapshot



Visitor
Snapshot/video



Smart Phone
Integration



IP 65
Grade



LITE SERIES SIP VIDEO DOOR PHONE



IP Camera
Monitoring



Motion
Sensor



Wifi/
Wired



7 Inch
Display



SD
Card



Smartphone
Integration



Door lock
Integration



Sensor
Integration



Visitor
Snapshot/video




Wide Angle
Camera Lens



Night
Vision



Session
Initiation Protocol



DIALPAD VIDEO ENTRY STATION OT-IP-LP-C6

- Camera: 2MP HD with 120° wide angle
- 4.3 inch Display
- Numeric Keypad to dial
- Mifare Card Reader (13.56 Mhz)
- Relay ports to control doors
- Unlock Lobby Door from Apartment
- Built-in IPPBX with 9999 extensions
- Built in Speaker and Microphone
- Capture Visitor snapshot
- Installation: Flush Mount
- IP64 Grade



SIP VIDEO GUARD PHONE OT-IP-GM2

- SIP based Guard Console
- One Way Video and Two Way Audio intercom
- Call records
- Alarm Alert Management
- Call Waiting , Call Transfer , Call Hold
- DND , Ring tone Selectable
- Full Duplex Speakerphone
- POE 802.3af



7 INCH SIP VIDEO DOOR INTERCOM OT-IP-VDP-V8(WIRED) OT-IP-VDP-V8W(WIRELESS)

- 7 inch Touch Screen with Built in Dialpad
- One Way Video/Two Way Audio intercom
- Ethernet On board
- Port to Connect Video Door Bell
- Contact Directory
- SD Card Slot – Supporting up to 64 Gb
- 8 Zone Smart Alarm Panel with Live Alerts
- PoE 802.af
- Colour: Black & Silver



SIP VIDEO DOOR PHONE OT-VDP-C1

- Camera: 2 MP with 120° Wide Angle Lens
- Night Vision : High Intensity White LEDs
- Motion Detection and Alert on Indoor Monitor and APP
- Door Lock Integration with built in Relay
- Single Port For connecting directly with Indoor Monitor
- Zinc Alloy with Matt Finish
- Colour: Black & Silver



DIGITAL DOOR LOCK SERIES



3D Face
Recognition



Biometric



Smartphone
Integration



OTP




Status Alert



Door Force
Alarm



Anti Theft
Password



VDP
Integration



Emergency
Power C Type



Strong Mortise





SMART FACE RECOGNITION DIGITAL DOOR LOCK OT 500

- Unlocking ways using Face Recognition
 - +Biometric+Password+Card+Mechanical Key
 - +Mobile App+OTP
- Video Door Phone integration
- Wifi Interface
- Door Force Alarm
- Emergency USB Port for Power Backup
- Autolocks on 3 incorrect attempts
- Mortise consists of SS304 with 4 bolts
- Aluminium Alloy Material
- 4*AA Battery Power

SMART DIGITAL DOOR LOCK OT 210

- Unlocking ways using Biometric+Password
 - +Card+Mechanical Key+Mobile App+OTP
- Video Door Phone integration
- Wifi Interface
- Door Force Alarm
- Emergency USB Port for Power Backup
- Autolocks on 3 incorrect attempts
- Mortise consists of SS304 with 4 bolts
- Aluminium Alloy Material
- 4*AA Battery Power



SMART DIGITAL DOOR LOCK OT 200V / T

- Unlocking ways using Biometric+Password
 - +Card+Mechanical Key+Mobile App+OTP
- Video Door Phone integration(OT 200V)
- Wifi Interface
- Door Force Alarm
- Emergency USB Port for Power Backup
- Autolocks on 3 incorrect attempts
- Mortise consists of SS304 with 4 bolts
- Aluminium Alloy Material
- 4*AA Battery Power



ELECTRIC SMART LOCKS



Time
Delay



Relay
Contact



Mobile
App



Weather
Proof



Biometric



Remote
Control



Inbuilt
Sounder



Password





EM Lock OT-MEL-EM-X-600/OD

- Low Energy Consumption
- Time Delay,LED Indicator
- Inbuilt Hooter(H)
- Remote(R)
- 600 lbs Magnetic
- IP45/IP66
- DC 12V or 24V

Shear Lock OT-MEL-SL-C/OD

- Relay Contact,
- Time Delay
- Magnetic+Bolt
- IP45/IP66
- 241*47.8*28.5mm
- DC 12V or 24V



Rim Lock OT-MEL-RM-B/OD

- Time delay
- Biometric
- Password
- Remote Control
- IP45/IP66
- 170*60*34mm
- 4*AAA Battery

Bolt Lock OT-MEL-BL

- Relay Contact
- Time Delay
- Electric Bolt
- Concealed type
- 170*30*34mm
- DC 12V



SMART WIRELESS ALARM KIT



Work With All
Smart Devices



Intrusion
Detection



App Control



Motion
Detection



Wireless




Plug and Play
Installation



Panic
Alarm



Voice
Command





GAS LEAK DETECTOR OT-GLD-68B

- Wired/Wireless
- Applicable gas : Coal, Natural, LPG
- Alarm Relay : NO/NC Contact
- Alarm density : 10% LEL
- Alarm mode : Sound/LED Indicator
- Alarm Flash Visibility : 3m
- Alarm speaker volume : ≥ 70 db at 1m
- Installation : Wall Mount / Ceiling Mount
- Integration with any 3rd party intrusion panel
- 230V/12V

PANIC SWITCH OT-PS-28F

- Wired
- ABS material
- Key reset
- Alarm output : NC/NO option
- Function : Emergency Push Button
- Output : NC/NO/COM
- Electrical life : More than 200,000 times
- Installation : Flush Mount
- Integration with any 3rd party intrusion panel



OCCUPANCY SENSOR OT-OS-702

- Wired
- 230V Occupancy Sensor
- Passive Infrared
- 360 Deg
- 5 Mtr range
- Max Load : 800W
- Delay 15 sec to 350 secs

MAGNETIC SENSOR OT-MC-F

- Wired
- Low power consumption
- Output : NC/NO/COM
- Operating Distance : 15-20mm
- Installation : Flush Mount
- Integration with any 3rd party intrusion panel





POE SWITCHES



Surge Protection
Upto 6 KV



Consoie
Port



2
Uplinks



VLAN
Isolation



Fibre Switch
(optional)



Plug & Play
Installation



250 Meter
Extended Rang



Inbuilt
Power Supply



POE
Watch Dog




Noise Free
(Fanless)



30 W per
Port Output



High Switch
Capacity






UNMANAGED 100M POE SWITCH

- MODEL No. OT1704P/OT1708P
- Uplink : 2X100M
- POE Power : 65W/96W
- Switching Capacity: 1.6Gbps/2Gbps
- Max port power : 30W
- Power Supply : 220-240V
- Surge protection upto 6KVa

UNMANAGED 100M POE WITH GIGA UPLINK SWITCH

- MODEL No. OT-1708PG-E/OT-1716P/OT-1724P
- Uplink : 2G / 2G RJ45 + 1SFP Uplink
- POE Power : 65 W/120 W
- Switching Capacity: 1.6Gbps/2Gbps
- Max port power : 30W
- Power Supply : 220-240V
- Surge protection upto 6KVa



UNMANAGED GIGA SWITCHES

- MODEL No. OT-1704GP-F/OT 1708GE
- Uplink : 1G +1 SFP +1 Combo / 2G Uplink
- POE Power : 65 W/120 W
- Switching Capacity: 14Gbps/20Gbps
- Max port power : 30W
- Power Supply : 220-240V
- Surge protection upto 6KVa

SEMI MANAGED L2 SWITCH

- MODEL No. OT-1724GP-L2
- Uplink : 4 Combo Uplink
- POE Power : 400 W
- Switching Capacity: 56Gbps
- Max port power : 30W
- Console port
- Power Supply : 220-240V
- Surge protection upto 6KVa



BUSINESS ESSENTIAL

SIP PHONE



3 Way
Conference



POE



2 Line SIP



500 Contact
Directory



Compatible with
Major SIP IPPBX



Backlight
128 x 48



Support
Headset




Lattice Screen
With Backlight

OT-AP-R53G-Giga IP Phone


OT-AP-R51P-Non Giga IP Phone



Video Entry Station




Digital Door Lock



Smart Video Door Phone



SIP Phone



Smart Alarm Sensors



Smart Phone Integration



**CONVENIENCE”
& SECURITY**
IN ONETOUCH



onetouch

technology **4** everyone



+91 8956975579
+91 8669978545



sales@discreet.co.in



www.onetouchcomsec.com



Discreet Solution Pvt.Ltd.
Regd Off: 202, Mayfair Court
Nachiket Park, Baner,
Pune - 411045
CIN: U72200PN2004PTC019456



www.onetouchcomsec.com

[COALESCE]